

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/702,416	11/06/2003	Daniel C. Edelstein	FIS920030260 US1	8350
29505 7	590 01/03/2006		EXAMINER	
DELIO & PETERSON, LLC 121 WHITNEY AVENUE			ABOAGYE, MICHAEL	
NEW HAVEN, CT 06510			ART UNIT	PAPER NUMBER
	•		1725	

DATE MAILED: 01/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summany						
		10/702,416	EDELSTEIN ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Michael Aboagye	1725			
Period fo	The MAILING DATE of this communication app r Reply	ears on the cover sneet with the c	orrespondence address			
WHIC - Exter after - If NO - Failui Any r	CRTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DAISIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time iii apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE!	I. ely filed the mailing date of this communication. O (35 U.S.C. § 133).			
Status	-					
1) 又	Responsive to communication(s) filed on <u>06 No</u>	ovember 2003.				
'=	<u> </u>	action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.						
• —	4a) Of the above claim(s) is/are withdrawn from consideration.					
	5) Claim(s) is/are allowed.					
6)□	6) Claim(s) is/are rejected.					
7)	7) ☐ Claim(s) is/are objected to.					
8)🖾	Claim(s) <u>1-20</u> are subject to restriction and/or e	election requirement.	•			
Applicati	on Papers					
9) 🗔 :	The specification is objected to by the Examine	г.				
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority u	ınder 35 U.S.C. § 119					
a)[	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the prior  application from the International Bureau see the attached detailed Office action for a list	s have been received. s have been received in Application ity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
	e of References Cited (PTO-892)	4) Interview Summary				
3) Inform	e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	atent Application (PTO-152)			

Application/Control Number: 10/702,416

Art Unit: 1725

## **DETAILED ACTION**

## Election/Restrictions

- 1. This application contains claims directed to the following patentably distinct species of the claimed invention:
  - Claims 1-5 drawn to an apparatus having a metallic interconnect and an alloy material that includes a composition of a metallic wire material and an alloying metal, the embodiment of figure 1.
  - II. Claims 6-15 drawn to an apparatus with a metallic barrier cap over a metallic interconnect with a diffusion barrier, the embodiment of figures 2.
  - III. Claims 16-20 drawn to substrate layers having a metallic wire with a coating and a metallic interconnect with plural diffusion barriers, the embodiment of figures 4 and 3.
- 2. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims are generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Application/Control Number: 10/702,416

Art Unit: 1725

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

- 3. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Aboagye whose telephone number is 571-272-8165. The examiner can normally be reached on Mon Fri 8:30am 5pm.

Application/Control Number: 10/702,416

**Art Unit: 1725** 

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael Aboagye Assistant examiner Art Unit 1725

AM AM 12/23/2005

PRIMARY EXAMINER